Fax: 832-895-4040
Phone: 832-895-5000
E-mail: intake@adaptivinfusion.com

adaptIV infusion

# Tepezza (teprotumumab-trbw)

*Provider Order Form rev. 4/10/2022*

## PATIENT INFORMATION

Referral Status *(check one):* ☐ New Referral ☐ Updated Order ☐ Order Renewal

Patient Name: _____ DOB: _____

NKDA ☐ Allergies: _____ Weight _____ *Please specify:* ☐ lbs ☐ kg Height: _____

Patient Status *(check one):* ☐ New to Therapy ☐ Continuing Therapy | Last Treatment Date: _____ Next Due Date: _____

ICD-10 code (required): _____ ICD-10 description: _____

**REQUIRED: Demographics & Most Recent: H&P, clinical notes, & medication list. Supporting clinical notes to include any past tried and/or failed therapies, intolerance, outcomes, or contraindications to conventional therapy.**

## PRESCRIPTION

### NURSING

☐ Provide nursing care per AdaptIV Infusion Nursing Procedures, including reaction management and post-procedure observation

### LABORATORY ORDERS

☐ CBC ☐ at each dose ☐ every _____
☐ CMP ☐ at each dose ☐ every _____
(CMP includes serum blood glucose)
☐ Other: _____

### PRE-MEDICATION ORDERS

☐ acetaminophen (Tylenol) ☐ 500mg | ☐ 650mg | ☐ 1000mg PO
☐ cetirizine (Zyrtec) 10mg PO
☐ loratadine (Claritin) 10mg PO
☐ diphenhydramine (Benadryl) ☐ 25mg | ☐ 50mg | ☐ PO | ☐ IV
☐ methylprednisolone (Solu-Medrol) ☐ 40mg | ☐ 125mg IV
☐ hydrocortisone (Solu-Cortef) ☐ 100mg IV
☐ Other: _____
Dose: _____ Route: _____
Frequency: _____

### THERAPY ADMINISTRATION

☐ **Teprotumumab-trbw** (Tepezza) in 0.9% sodium chloride, intravenous infusion

- Dose: (Indicate if patient has received any previous doses.)
- 10mg/kg for the first infusion
- 20mg/kg for infusions 2-8
- Frequency: Every 3 weeks, 8 total infusions.
- Administer the first 2 infusions over 90min. Subsequent infusions may be reduced to 60min if well tolerated. If reaction occurs, interrupt or slow the rate of infusion.
- Dilute with 0.9% Sodium Chloride. For doses <1800mg use a 100ml bag. For doses ≥1800mg use a 250ml bag. (Remove equal volume.)

☐ Flush with 0.9% sodium chloride at the completion of infusion
☐ Patient is required to stay for 30-minute observation period
☐ Order is valid for 8 total infusions unless otherwise indicated.
(Order will expire one year from date signed)

## SPECIAL INSTRUCTIONS

## PROVIDER INFORMATION

Referral Coordinator Name: _____ Referral Coordinator Email: _____

Ordering Provider: _____ Provider NPI: _____

Referring Practice Name: _____ Phone: _____ Fax: _____

Practice Address: _____ City: _____ State: _____ Zip Code: _____

_____ _____ _____
*Provider Name (Print)* *Provider Signature* *Date*

**REQUIRED: PLEASE INCLUDE ALL REQUIRED LABS AND A COPY OF PATIENT'S INSURANCE CARD – FRONT AND BACK**